rhage: a review [J]. Neurosurgery, 2005, 56(4): 633 – 654.
[3] Dumont A S, Dumont R J, Chow M M, *et al*. Cerebral vasospasm after subarachnoid hemorrhage: putative role of inflammation [J]. Neurosurgery, 2003, 53(1): 123 – 133.
[4] 高成, 赵振环, 刘巍, 等. 阿托伐他汀对大鼠蛛网膜下腔出血后脑血管痉挛作用[J]. 中华神经外科杂志, 2005, 21(9): 552 – 557.
[5] Thai Q A, Oshiro E M, Tamargo R J. Inhibition of experimental vasospasm in rats with the periadventitial administration of ibuprofen using controlled-release polymers[J]. Stroke, 1999, 30(1): 140 – 147.
[6] Vecchione C, Frati A, Di-Pardo A, *et al*. Tumor necrosis factor-alpha mediates hemolysis-induced vasoconstriction and the cerebral vasospasm evoked by subarachnoid hemorrhage [J]. Hypertension, 2009, 54(1): 150 – 156.
[7] Shimokawa H, Takeshita A. Rho-kinase is an important therapeutic target in cardiovascular medicine[J]. Arterioscler Thromb Vasc Biol, 2005, 25(9): 1767 – 1775.
[8] Suzuki Y, Shibuya M, Satoh S, *et al*. A postmarketing surveillance study of fasudil treatment after aneurysmal subarachnoid hemorrhage [J]. Surg Neurol, 2007, 68(2): 126 – 131.
[9] Chen D, Chen J J, Yin Q, *et al*. Role of ERK1/2 and vascular cell proliferation in cerebral vasospasm after experimental subarachnoid hemorrhage[J]. Acta Neurochir (Wien), 2009, 151(9): 1127 – 1134.
[10] Yanamoto H, Kikuchi H, Okamoto S, *et al*. Cerebral vasospasm caused by cisternal injection of polystyrene latex beads in rabbits is inhibited by a serine protease inhibitor[J]. Surg Neurol, 1994, 42(5): 374 – 381.
[11] 张建忠, 周政, 刘俊, 等. NF-κB在兔蛛网膜下腔出血模型基底动脉中的表达及其与血管平滑肌增殖的关系[J]. 第三军医大学学报, 2010, 32(18): 1976 – 1980.
[12] Aihara Y, Kasuya H, Onda H, *et al*. Quantitative analysis of gene expressions related to inflammation in canine spastic artery after subarachnoid hemorrhage[J]. Stroke, 2001, 32(1): 212 – 217.
[13] Suzuki T, Sawaki D, Aizawa K, *et al*. Kruppel-like factor 5 shows proliferation-specific roles in vascular remodeling, direct stimulation of cell growth, and inhibition of apoptosis[J]. J Biol Chem, 2009, 284(14): 9549 – 9557.
[14] Coleman M L, Marshall C J, Olson M F,. RAS and RHO GTPases in G_1-phase cell-cycle regulation[J]. Nat Rev Mol Cell Biol, 2004, 5(5): 355 – 366.
[15] Borel C O, McKee A, Parra A, *et al*. Possible role for vascular cell proliferation in cerebral vasospasm after subarachnoid hemorrhage [J]. Stroke, 2003, 34(2): 427 – 433.
[16] Testa U, Pannitteri G, Condorelli G L. Vascular endothelial growth factors in cardiovascular medicine[J]. J Cardiovasc Med (Hagerstown), 2008, 9(12): 1190 – 1221.
[17] Seifert V, Loffler B M, Zimmermann M, *et al*. Endothelin concentrations in patients with aneurysmal subarachnoid hemorrhage. Correlation with cerebral vasospasm, delayed ischemic neurological deficits, and volume of hematoma [J]. J Neurosurg, 1995, 82(1): 55 – 62.
[18] Tanner F C, Yang Z Y, Duckers E, *et al*. Expression of cyclin-dependent kinase inhibitors in vascular disease[J]. Circ Res, 1998, 82(3): 396 – 403.
[19] Obara K, Nishizawa S, Koide M, *et al*. Interactive role of protein kinase C-delta with rho-kinase in the development of cerebral vasospasm in a canine two-hemorrhage model[J]. J Vasc Res, 2005, 42(1): 67 – 76.
[20] Hiroki J, Shimokawa H, Higashi M, *et al*. Inflammatory stimuli upregulate Rho-kinase in human coronary vascular smooth muscle cells [J]. J Mol Cell Cardiol, 2004, 37(2): 537 – 546.
[21] Bao W, Hu E, Tao L, *et al*. Inhibition of Rho-kinase protects the heart against ischemia/reperfusion injury[J]. Cardiovasc Res, 2004, 61(3): 548 – 558.
[22] Doe C, Bentley R, Behm D J, *et al*. Novel Rho kinase inhibitors with anti-inflammatory and vasodilatory activities[J]. J Pharmacol Exp Ther, 2007, 320(1): 89 – 98.

(**收稿**:2013-03-05;**修回**:2013-03-28)
(编辑　王小寒)

上传稿件中图的注意事项

为方便排版处理和达到印刷质量,本刊要求作者在提供修改稿终稿的同时提供EXECL格式的统计图和照片图原图。请作者在上传时注意:

1. 统计图

需要作者提供带数据的EXECL原始图,是指生成EXECL图的数据,而不是所有的原始数据;而且要求用提供的数据生成图,而不是复制的图,即可以激活修改的图。

2. 照片图

如果一个图由多幅图组成,不要组合在一起,最好也不要裁剪,请作者提供单张JPG或TIFF图片格式原始图片,要求像素在300万以上。

所有图按要求提供后以在稿件中的图序、图题命名,一起压缩后以稿件附件形式上传,并请作者确认是否上传成功。如有问题,请及时与编辑部联系。

本刊编辑部