DOI:10.16016/j.1000-5404.1992.05.002

anti-HD positive. In 211 cases of various types of HBV hepatitis, 21 were (9.95%) anti-HD positive, among whom 2/82 (2.5%) werehealthy HBV carriers, 6/43 (13.95%) were patients with acute icteric hepatitis, 6/60 (10.00%) were patients of chronic active hepatitis, 4/18 (22.20%) were patients of severe hepatitis, and 3/8 (37.50%) were those with liver cirrhosis. These results were consistent with those in our previous reports.

Key words synthetic oligopeptide; hepatitis delta virus

个案与短篇

老年人上消化道内镜检查 1225 例总结

冷恩仁 陈东风 武兵兵 (第三军医大学大坪医院消化科) 630042

我院从 1977 年 12 月至 1991 年 8 月上消化道内镜检查 14 400 例，老年人 1 225 例(8.51%)，总结报道如下：

1 内镜资料

1225 例中住院病人 439 例，门诊病人 786 例，其中男 950 例，女 275 例，男：女 3.45:1，年龄 60～64 岁 723 例(58%)，65～69 岁 334 例(27.27%)，70～74 岁 127 例(10.37%)，75～79 岁 35 例(2.86%)，80 岁以上 6 例。平均年龄 65.51 岁。检查前合并症上消化道出血 134 例(10.9%)，肝硬化 15 例，依次为慢支炎肺气肿、脑血管疾病、尿毒症、心律失常等。

检查结果：以慢性浅表性胃炎 532 例(43.43%)最多见，胃溃疡(Gu)157 例(12.82%)，胃癌(Gca)134 例(10.94%)，十二指肠溃疡(Du)134 例(10.94%)，食道癌 65 例(5.31%)，慢性萎缩性胃炎 63 例(5.14%)，十二指肠炎 56 例(4.57%)，复合性溃疡 15 例(1.22%)等。

疾病与性别：男 950 例，其中慢性浅表性胃炎 374 例(39.37%)，Gu 131 例(13.79%)，Gca 118 例(12.42%)，Du 116 例(12.21%)。女 275 例，慢性浅表性胃炎 158 例(57.45%)，Gu26 例(9.45%)，Gca 16 例(5.28%)，Du 18 例(6.55%)。

在 168 例中作 HP 检查，阳性者 86 例(51.19%)，阴性 82 例(48.81%)。

2 讨论

消化道内镜检查并发症多有报告，本组无 1 例发生并发症。严格掌握检查适应症，操作精心，争取病人配合是关键。

老年上消化道疾病本组资料为慢性胃炎发病率最高，且女＞男($P<0.001$)，其中慢性浅表性胃炎女＞男($P<0.001$)，而慢性萎缩性胃炎发病率男女间无差异($P>0.05$)，本组资料与认为慢性胃炎随年龄增长而发生率升高的趋势不相符合。消化性溃疡(Pu)306 例(24.98%)发病率男＞女($P<0.001$)，而 Gu 发病率男女间无差异性($P>0.05$)。Du 男＞女($P<0.25$)。在 Pu 中 Gu 与 Du 发病率无差异($P>0.05$)，Gca 以 60～69 岁多见(占 91.18%)。食道癌 65 例(5.31%)，发病率男女无差异($P>0.05$)。

HP 感染率随年龄增长而增加，在美国每增长一岁，感染率增加 1%～2%。我国平均感染率为 67.94%[1]。本组老年人感染率低，可能与地区性有关，待进一步探讨。

关键词 内窥镜术；老年人；消化系统

参考文献

1. 肖清水，等。内镜。1990;7(4):242～243

(收稿：1991-12-09；修回：1992-07-02)

?1994-2016 China Academic Journal Electronic Publishing House. All rights reserved. http://www.cnki.net